



## INVITATION TO BID

for

**Procurement of**

*Fishing equipment*

**Tender Reference no:** 2021/FRSSD/FRSSD/113729

**Project:** *Multiple*

**Destination:** *South Sudan*

**Date of issuance:** *Thursday, 25 November 2021*

**Closing date and time:** *Monday 06 December 2021 at 12:00Pm, Juba time  
(GMT+2)*

### TO ENSURE THE VALIDITY OF YOUR OFFER:

- **Your company shall be registered on UNGM ([www.ungm.org](http://www.ungm.org));**
- **Your bid must be submitted as indicated in Article 8 of the ITB Special Requirements and Conditions.**

Please note that submissions by e-mail, sealed envelope or fax are not allowed. Further instructions on how to access FAO tender documents and submitting your bid through UNGM are attached herewith and uploaded on your UNGM Tender Management page under the “View Synopsis” button of the “Tender” tab.



Food and Agriculture Organization of the United Nations  
FAO Representation South Sudan

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

**INVITATION TO BID / FAO SEALED BID: 2021/FRSSD/FRSSD/113729**

**CLOSING DATE: Monday 06 December 2021 at 12:00Pm, Juba time (GMT+2)**

The Food and Agriculture Organization of the United Nations (FAO) is a specialized agency of the United Nations with more than 190 member countries. Since its inception, FAO has worked to improve nutrition, increase agricultural productivity, raise the standard of living in rural populations and contribute to global economic growth. Achieving food security for all is at the heart of FAO's efforts – to make sure people have regular access to enough high-quality food to lead active, healthy lives.

To achieve its goals, FAO cooperates with thousands of partners worldwide, from farmers' groups to traders, from non-governmental organizations to other UN agencies, from development banks to agribusiness firms (further and more detailed information on FAO can be found on the internet site: <http://www.fao.org>).

FAO herewith invites you to submit a **Sealed Bid** in **United States Dollars (US\$)** for:

<b>Item</b>	<b>Quantity</b>	<b>Technical Specifications</b>	<b>Delivery location</b>	<b>Delivery time (essential criterion)</b>
<i>Fishing equipment</i>	Please see Appendix 1	As per the technical specifications attached in Appendix 1	<b>FAO's Warehouse in JUBA, SOUTH SUDAN</b>	<i>100% no later than 2<sup>nd</sup> March. 2022</i>

In preparing your bid, you should take into account the international status and humanitarian goals of FAO by submitting your best commercial terms. You should also be aware that FAO enjoys certain privileges and immunities which include exemption from payment of Value Added Tax ("VAT"), customs duties and importation restrictions.

Your Bid shall be based on all requirements included in this Invitation to Bid including all its Appendices must adhere to the General Bid Requirements and the Special Requirements and Conditions specified below:

**Documents enclosed**

- a) Appendix I – Bid summary and mandatory requirements
- b) Appendix II - Technical Specifications and Compliance Format
- c) Appendix III – Financial Offer
- d) Appendix IV – Bid Submission Letter
- e) Appendix V – Production and Logistic Capacities Form for Crop Seeds
- f) Appendix VI – FAO General Terms and Conditions for Goods

**Documents to be submitted as essential elements of the bid**

- a) The duly completed “Technical Specifications and Compliance Format” in Appendix I, using the form enclosed, along with the relevant supporting documentation requested in the form.



**Food and Agriculture Organization of the United Nations**  
**FAO Representation South Sudan**

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

- b) The duly completed “Financial Offer” in Appendix II, using the forms enclosed.
- c) The duly completed “Bid Submission Letter” in Appendix III, using the form enclosed.
- d) The duly completed “Bid Summary and Mandatory Requirements” in Appendix I, attaching all the relevant supporting documentation requested in the form;
- e) The duly completed “Technical Specifications and Compliance Format” in Appendix II, using the form enclosed, along with the relevant supporting documentation requested in the form.
- f) The duly completed “Financial Offer” in Appendix III, using the form enclosed.
- g) The duly completed “Bid Submission Letter” in Appendix IV using the form enclosed.
- h) The duly completed “Production and Logistic Capacities Form for Crop Seeds” in Appendix V, using the form enclosed.

Bids must clearly indicate the tender number, have numbered pages and include the stamp and name of the bidder on all pages in order to facilitate verification of the completeness of the offer.

**Completeness of Bid.** Bids shall contain all of the above information and documents and observe the provisions of this Invitation to Bid as otherwise it will not be possible to evaluate them on an equal basis.

**General Bid Requirements:**

1. **Contact information:** Full name, UNGM Number<sup>1</sup>, address, fax and telephone numbers of your company and contact persons.
2. Supplier’s acceptance of the “**FAO General Terms and Conditions for Goods**” (enclosed, Appendix IV). Note that FAO cannot issue a Purchase Order in the absence of a Supplier’s acceptance of these Terms and Conditions.
3. **Payment Terms:** FAO effects payment through normal banking channels, within 30 days against invoice and shipping documents, and subject to receipt of satisfactory inspection report, if required, and acceptance of goods. FAO will, however, pay only for the goods actually accepted at final destination after inspection at unloading point(s) either by an independent inspection company or by an authorized FAO official and deduction of actual and/or liquidated damages for late delivery and/or quality deviations, if any. Letters of credit and advance payments cannot be provided.
4. Please note that the Organization will make payment to the bank account indicated by the selected supplier in its invoice, provided that the bank account is in the name of the supplier and located in the country of residence of the supplier. Any request for payment to a bank account other than that of the supplier or to a bank other than one located in the supplier’s country of residence must be specified in the offer, together with the reasons for such deviation from standard payment terms; the Organization will not be in a position to consider the request should this information be provided after the closing date of the tender. Successful bidders can register to submit invoices in PDF format via e-mail by contacting [AP-Invoices@fao.org](mailto:AP-Invoices@fao.org).
5. **Acceptance of FAO’s Bid Requirements including Technical Specifications (Appendix III).** If your bid is not compliant with any of these requirements, such non-compliance must be clearly identified in your offer (and details provided in Appendix III: Bid Submission Letter). If no mention to this effect is contained in your offer, FAO will assume that all requirements included in this Invitation to Bid are accepted by the supplier. Suppliers must in any case complete the technical specifications form.
6. **Insurance and Freight Costs:** To be arranged by supplier. The supplier will determine the appropriate type and amount of insurance coverage to address its risks up to delivery at final destination. FAO will pay

---

<sup>1</sup> Please see Special requirements and Conditions point 8



Food and Agriculture Organization of the United Nations  
FAO Representation South Sudan

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

only for the goods actually accepted at final destination after inspection at unloading point(s) and deduction of actual damages and/or liquidated damages for late delivery and/or quality deviations, if any.

7. **Prices:** Your unit prices, air/land/surface freight charges, insurance cost and total price shall be quoted separately for delivery to the destination(s) specified above on DPU basis in accordance with Incoterms 2020. FAO will pay only for the goods actually accepted at final destination after inspection at unloading point(s) and deduction of actual damages and/or liquidated damages for late delivery and/or quality deviations, if any.
8. **Delivery time:** Goods are required on site no later than **2<sup>nd</sup> March 2022** within **90** calendar days after issuance of Purchase Order). Delivery is an essential criterion in the evaluation of this bid. Suppliers are requested to quote their best delivery time in calendar days following receipt of eventual Purchase Order. If no offer meets the established delivery date, FAO reserves the right to consider offers not meeting the established delivery date. Suppliers are encouraged to indicate the quantity of goods they can deliver within the requested delivery time and the quantity of goods they can deliver with a longer delivery time. Two Financial tables have been attached to this invitation for this purpose.

Description	Delivery date	UOM	Quantity
Fresh water hook (TL 5.0 cm /G 1.6 cm)	No later than 2 <sup>nd</sup> March. 2022	Pack of 100 units	113,000
Fresh water hook (TL 5.5 cm/G 1.7 cm)	No later than 2 <sup>nd</sup> March. 2022	Pack of 100 units	213,000
Fresh water hook (TL 6.8/G 2.1)	No later than 2 <sup>nd</sup> March. 2022	Pack of 100 units	213,000
Monofilament	No later than 2 <sup>nd</sup> March. 2022	Box	213,000
Twines Ply 12	No later than 2 <sup>nd</sup> March. 2022	coil	213,000
Twines Ply 15	No later than 2 <sup>nd</sup> March. 2022	spool	213,000

9. **PO Terms:** Depending on the Incoterm basis on which FAO decides to procure the goods (DPU), the relevant contract (Purchase Order) will also be in compliance with those Incoterms.
10. **Validity:** Bids must remain valid with firm and fixed prices **for 60 days** after Tender Closing Date.
11. **Country of Origin:** The origin of the goods is to be indicated by the supplier.
12. **Right to Publish Contract Award:** In responding to our tender invitation and accepting the FAO General Terms and Conditions you hereby authorize FAO to publish the details of any contractual relationship it enters into with you, including, but not limited to, the supplier's name and address, value of the award and a description of the goods or services.
13. FAO supports and promotes the UN Global Compact -- "a strategic policy initiative for businesses that are committed to aligning their operations and strategies with ten universally accepted principles in the areas of human rights, labour, environment and anti-corruption." FAO encourages all of its suppliers to confirm their adherence to the principles of the Global Compact (<http://www.unglobalcompact.org/AboutTheGC/TheTenPrinciples/index.html>). All Vendors must agree to abide by the UN Supplier Code of Conduct located at [https://www.un.org/Depts/ptd/sites/www.un.org.Depts.ptd/files/files/attachment/page/pdf/unscc/conduct\\_english.pdf](https://www.un.org/Depts/ptd/sites/www.un.org.Depts.ptd/files/files/attachment/page/pdf/unscc/conduct_english.pdf).
14. **Sanctionable Actions:**
  - (a) The Supplier agrees to refrain from engaging in Sanctionable Actions, which are defined as follows:



**Food and Agriculture Organization of the United Nations**  
**FAO Representation South Sudan**

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

- "Corrupt practice" or "corruption" means the offering, giving, receiving or soliciting, directly or indirectly, of anything of value whether tangible or intangible to improperly influence the actions of another party;
  - "Fraudulent practice" or "fraud" means any act or omission, including misrepresentation that knowingly or recklessly misleads, or attempts to mislead, a party to obtain a financial and/or other benefit and/or to avoid an obligation;
  - "Collusive practice" is an arrangement between two or more parties designed to achieve an improper purpose, including influencing improperly the actions of another party;
  - "Coercive practice" is impairing or harming, or threatening to impair or harm, directly or indirectly, any party or the property of the party to influence improperly the actions of a party;
  - "Unethical practice" is any act or omission contrary to the conflict of interest, gifts and hospitality or post-employment FAO policy (see <http://www.fao.org/unfao/procurement/codedeconduitethique/en/>), as well as any provisions or other published requirements of doing business with the Organization, including the UN Supplier Code of Conduct ([https://www.un.org/Depts/ptd/sites/www.un.org.Depts.ptd/files/files/attachment/page/pdf/unscc/conduct\\_english.pdf](https://www.un.org/Depts/ptd/sites/www.un.org.Depts.ptd/files/files/attachment/page/pdf/unscc/conduct_english.pdf)); and
  - "Obstructive practice" is an act or omission by a Third Party that may prevent or hinder the work of the Investigation Unit of the FAO Office of the Inspector General.
- (b) If FAO determines that a bidder or supplier has engaged in a Sanctionable Action, FAO will impose sanctions in accordance with the prevailing Sanctions Procedures: [http://www.fao.org/fileadmin/user\\_upload/procurement/docs/FAO\\_Vendors\\_Sanctions\\_Policy\\_-\\_Procedures.pdf](http://www.fao.org/fileadmin/user_upload/procurement/docs/FAO_Vendors_Sanctions_Policy_-_Procedures.pdf). In addition, FAO may share information on sanctioned vendors with other Intergovernmental or UN Organizations.
- (c) FAO may reject an offer for award if it determines that the bidder recommended for award, or any of its personnel, or its agents, or its sub-consultants, sub-contractors, service providers, suppliers and/or their employees, has, directly or indirectly, engaged in a Sanctionable Actions in competing for the contract in question.

**15. Disclosure of Sanctions or Temporary Suspension:** The Bidder and its affiliates, agents and subcontractors should not be suspended, debarred, or otherwise identified as ineligible by any Intergovernmental or UN Organization, including any organization within the World Bank Group or any other multi-lateral development bank, or by the institutions and bodies of economic integration organizations (e.g., the European Union). You are therefore required to disclose to FAO whether your company, or any of its affiliates, agents or subcontractors, is subject to any sanction or temporary suspension imposed by any such organization or National Authority at any time during the three years prior to this Contract or at any time throughout the execution of this Contract. You acknowledge that a breach of this provision will entitle FAO to terminate its Contract with your firm and that material misrepresentations on your status constitute a fraudulent practice.

**16. UN Security Council Sanctions:** The Bidder must certify that it is not associated, directly or indirectly, with entities or individuals (i) that are associated with terrorism, as in the list maintained by the Security Council Committee established pursuant to its Resolutions 1267 (1999) and 1989 (2011), or (ii) that are the subject of sanctions or other enforcement measures promulgated by the United Nations Security Council. Selected bidders also agree to undertake all reasonable efforts to ensure that none of the funds received from FAO under the awarded contract are used to provide support to individuals or entities associated with terrorism or that are the subject of Security Council sanctions. This provision must be included in any subcontracts, sub-agreements or assignments entered into under the awarded contract. The bidder acknowledges and agrees that this provision is an essential term of the awarded contract and any breach of these obligations and warranties shall entitle FAO to terminate the Contract immediately upon notice to the Contractor, without any liability for termination charges or any liability of any kind of FAO.

**Special Requirements and Conditions:**

1. FAO reserves the right at its discretion to cancel this solicitation process if and when deemed necessary without any obligation to bidders; vendors will be informed accordingly.



**Food and Agriculture Organization of the United Nations**  
**FAO Representation South Sudan**

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

2. FAO will reserve the right to give preference to offers proposing the best overall delivery schedule, i.e. able to exhaust the total quantity offered/awarded with the minimum number of batches and/or timeline for contract execution. Following this rationale, FAO will consider also:
  - a) Awards based on partial quantities available from different suppliers that may allow FAO to source the largest possible quantity, out of the total awarded, in the shortest delivery timeframe;
  - b) Distributed awards to different suppliers based on their actual sourcing, financial/liquidity and logistic capacities, assessed by FAO during the evaluation phase thus to mitigate risks of non-performance of suppliers due to overstretching of their actual capacities.
3. FAO reserves the right to adjust the required quantities and to make **partial awards** if deemed necessary and/or appropriate.
4. Partial offers of requested lots, if applicable, are NOT acceptable. However, partial offers are acceptable if goods are not requested to be delivered in lots.
5. Arithmetical errors and discrepancies on the Financial Offer:
  - If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price will prevail and the total price will be corrected, unless in the opinion of evaluators, there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted will govern and the unit price will be corrected.
  - If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals will prevail and the total will be corrected.
  - In case of discrepancy between a word and figures, the amount in words will prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures will prevail subject to the note above.
6. Samples: If samples of goods are required as part of the evaluation, as specified in the Technical Specifications (Appendix 1), such samples are to be provided free of charge and are usually not returnable.
7. Inspection: In the event of an order, Inspection on quantity, compliance with technical specifications (quality), packing and marking may be arranged at loading/unloading by an independent superintending agency at FAO expense. In responding to our tender invitation and accepting FAO Terms and Conditions, you hereby specifically authorize FAO and FAO nominated inspection company, to visit without formalities your premises and/ or warehouses and /or manufacturing facilities before or after issuing the eventual order.
8. Liquidated/Actual Damages: At FAO's discretion, damages may be applied to payments to be made in connection with any order as follows:
  - **Inferior Quality:** FAO, at its sole discretion, reserves the right to either reject any delivery that does not comply with the technical specifications or to accept such delivery and apply actual or liquidated damages to be determined by FAO;
  - **Late Delivery:** In the event of late delivery, liquidated damages will be applied at a rate of 2.5% of the value of the goods per week of delay. The liquidated damages applied for late delivery will not exceed 10% of the total order value.
  - **Special note:** **In case the delay in completing the delivery from a selected supplier is going to exceed the delivery timeframe proposed by a lowest bidder discarded due to a longer delivery time offered then FAO will deduct as "actual damages" from the payment of the invoice the difference in price between the value of the PO/offer selected and the lowest bid that has been considered as commercially not responsive during the evaluation because of the longer delivery time offered which was not in line with FAO's requirement.**

**9. SUBMISSION OF YOUR BID**



**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

**The registration with UNGM (<https://www.ungm.org/Vendor/Registration>) is a mandatory requirement in order to participate in this tender.** Please visit [www.ungm.org](http://www.ungm.org) for more information on how to register your company in UNGM.

Detailed instructions on how to access FAO tender documents and submit your bid through UNGM are attached herewith and can be downloaded from your UNGM Tender Management page by clicking on the “View Synopsis” button under the “Tender” tab.

If you encounter any difficulties using the UNGM system navigation and functionality please contact UNGM by using the help button on the right hand side of their home web page: <https://www.ungm.org/> referencing the exact FAO ITB number.

**a. Uploading your bid on UNGM**

**Please login to the UNGM website and upload all the documents requested in the ITB documents into the designated Placeholders (i.e. Technical, Commercial) within the indicated deadline.**

It is the exclusive responsibility of the bidders to ensure that the files are uploaded before the tender deadline. Offers received after the deadline will be considered invalid.

Please follow the instructions below to upload the electronic files to the UNGM portal  
:

- i. **Log-in to the UNGM website** using your e-mail and password;
- ii. Click on **Tender Notices** (from the list on the left-hand side of the screen);
- iii. Click on “**Show more criteria**” and type “**FAO**” in the UN Organization field located in the upper right hand corner;
- iv. Click on **EXPRESS INTEREST (blue button)/ VIEW DOCUMENTS** (green button) on the left of the specific tender notice you are interested in;
- v. Click on the **Invitation to bid/ Request for Proposal tab** of the tender notice and scroll down to view and download the tender documents;
- vi. **Click on the “OPT IN” button;**
- vii. To upload all the files to the designated **envelope**, click on the relevant “**UPLOAD DOCUMENT**” red button under “MY TENDER RETURN”;
- viii. If included, please complete the mandatory tender **Questionnaire(s)**.
- ix. Click on the red button: **Submit Return**

**NOTE:** It is highly recommended that the size of the files does not exceed 5MB and that the format of the files is “PDF”, unless otherwise requested.

**IMPORTANT:** Once all files are uploaded (and the requested Questionnaire(s) completed, (if required), please remember to click on the red button “SUBMIT MY RETURN” to submit your offer. If the submission is properly completed, you will be able to view and download a receipt under the “HISTORY” tab.

**No Bid Notice**



**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

In the event that your company is not interested in participating to this tender, the Organization would appreciate your feedback. In this case, you are kindly requested to click on the “OPT OUT” button displayed on your UNGM Tender Management page and indicate one or more of the following reason(s) for non-participation:

- *Requirements are outside our normal activities;*
- *There is Insufficient time to prepare a bid;*
- *Present lack of resources to undertake more work;*
- *Bid submitted by authorized dealer in destination country*
- *Participating as subcontractor to another lead bidder*
- *Other (please specify briefly).*

**SUBMISSIONS BY E-MAIL, SEALED ENVELOPE OR FAX ARE NOT ALLOWED.**

**a. COMMUNICATIONS CONCERNING THIS TENDER**

All communications concerning this tender should be submitted as soon as possible through the UNGM portal under the “CORRESPONDENCE” tab.

Bidders are responsible for appropriately examining this tender. If the Bidder finds discrepancies in or omissions from the documents, or if their intent or meaning appear unclear or ambiguous, or if any other questions arise, the Bidder shall submit any request for clarification through the aforementioned “CORRESPONDENCE” tab.

In submitting a request for clarification, please do not, under any circumstances, submit a copy of your offer or reveal any information about your intended quotation. This will invalidate your offer.

The deadline for submitting your requests for clarification is Five (5) days before the tender closing date.

**b. FAO’s REPLIES TO BIDDERS’ REQUESTS FOR CLARIFICATION**

Responses to clarification enquiries **will be simultaneously issued by FAO to all bidders through the UNGM.**

**The system will send automatic e-mail notifications to all bidders every time a clarification, or any other communication related to the tender notice, is sent out by FAO.**

All FAO’s responses to bidders’ questions will be uploaded under the “CLARIFICATIONS” tab of your Tender Management page and made available to all bidders. Please ensure to read all the clarifications as they become part of the technical specifications.

**c. MODIFICATION OR WITHDRAWAL OF YOUR OFFER**





Food and Agriculture Organization of the United Nations  
FAO Representation South Sudan

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

Bidders may, without prejudice, modify or withdraw their offer before the deadline using the “MODIFY RETURN” function. No offer can be modified after the tender submission deadline.

***BIDS RECEIVED BY ANY OTHER MEANS AND/OR BIDS RECEIVED AFTER THE CLOSING DATE WILL BE CONSIDERED INVALID.***

**10. Evaluation and Award Procedure:**

**The award will be on the basis of:**

- **Compliance with the technical specifications;**
- **Compliance with the commercial requirements;**
- **Acceptance of FAO General Terms and Conditions;**
- **Price;**
- **Delivery time;**
- **Other Evaluation Criteria if required, as specified at the tender stage.**

FAO reserves the right to consider, and disqualify firms based on, documented prior poor performance, including but not limited to poor quality of goods or services provided, late delivery and unsatisfactory performance.

Bidder Protests: Fairness and transparency are fundamental principles for FAO procurement activities. Bidders that believe that the procurement process was not fair and transparent may request feedback from the office that issued the tender. If a satisfactory response is not received, the bidder may present a protest following the instructions detailed in the following link: <http://www.fao.org/unfao/procurement/codedeconduitethique/protests/en/>.

To report allegations of fraud or misconduct in the procurement process, bidders may submit information, also anonymously, to the Office of the Inspector General Hotline: <http://www.fao.org/aud/69204/en/>.

Regards,

***Mr. Meshack O. Malo***

*FAO Representative in South Sudan*

**APPENDIX I - BID SUMMARY AND MANDATORY REQUIREMENTS**

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

To qualify for award of contract, a bidder shall meet the following minimum qualifying requirement

- 1- Bidders are responsible for proper registration of their company and/or the proposed equipment if such registration is required by local authorities to legally import equipment in the destination country. If such import restrictions exist then finally selected bidder(s) will be requested to provide FAO with a copy of valid registration certificate for their goods before the award of a Purchase Order.
- 2- Bidders have to provide evidence of at least two (2) contracts for supply fishing kits and value undertaken in the last five years;
- 3- Bidders are requested to submit complete technical specifications and documentation of all components of required items in a detail manner;
- 4- Bidders must as well present brochures or pictures and company websites for the offered items, the manufacturer and contact detail;
- 5- Bidder is requested to:
  - COMPLETE THE PRODUCTION AND LOGISTICS CAPACITIES FORM FOR FISHING SUPPLIES IN **APPENDIX VI**
  - PROVIDE COPY OF THE LAST CERTIFICATE AWARDED CONFIRMING THE QUALITY OF THE BRAND NAME AND MODEL OF EACH TOOL OFFERED

**PLEASE CONFIRM THAT YOU WILL COMPLY WITH THE ABOVE MENTIONED REQUIREMENTS:**

YES  NO

PLEASE PROVIDE FULL NAME AND ADDRESS OF THE BANK:

---

---

**PLEASE CONFIRM THAT YOU HAVE SUBMITTED THE APPROPRIATE DOCUMENTATION WITH YOUR OFFER TO DEMONSTRATE COMPLIANCE WITH THE ABOVE MENTIONED REQUIREMENTS:**



Food and Agriculture Organization of the United Nations  
FAO Representation *South Sudan*

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

YES

NO

If not, indicate the exceptions here below attaching additional pages as necessary:

.....  
.....  
.....

Name of Firm: \_\_\_\_\_

Mailing Address: \_\_\_\_\_

Fax: \_\_\_\_\_

Tel: \_\_\_\_\_

Email: \_\_\_\_\_

Person(s) to contact: \_\_\_\_\_

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

Name & Title: \_\_\_\_\_ Company seal: \_\_\_\_\_

2021/FRSSD/FRSSD/113729

**Appendix II: TECHNICAL SPECIFICATIONS OF FISHING SUPPLIES**

*(to be filled in and submitted as an essential element of your bid)*

**VENDORS MUST INDICATE COMPLIANCE OF THE GOODS OFFERED WITH THE TECHNICAL SPECIFICATIONS IN THE APPROPRIATE COLUMN PROVIDED IN THE FOLLOWING PAGES.**

Superintendence as well as quantity and quality controls of the offered equipment at both loading and unloading points will be performed before final acceptance, as per FAO regulations.

**In addition to the specifications quoted here below, your bid must include a manufacturer's catalogue/brochure or leaflet describing the supplies being offered to enable verification of technical requirements. All catalogues/brochures or leaflets submitted must be written in the English language or a translation into the English language.**

**FAILURE TO COMPLY WITH THESE REQUIREMENTS WILL RESULT IN YOUR BID BEING REJECT**

1. You must complete all the empty spaces in the technical specification sheet to confirm your specifications, quantities and the prices being offered
2. Your bid must include a manufacturer's brochure or leaflet describing the equipment being offered to enable your specifications to be verified.
3. All brochures and leaflets submitted must be written in the English language or a translation into the English language
4. All costs must be quoted in US \$ DOLLARS
5. **Payment Terms:** FAO effects payment through normal banking channels, within 30 days against invoice and shipping documents, and subject to receipt of satisfactory inspection report, if required, and acceptance of goods. FAO will, however, pay only for the goods actually accepted at final destination after inspection at unloading point(s) either by an independent inspection company or by an authorized FAO official and deduction of actual and/or liquidated damages for late delivery and/or quality deviations, if any. Letters of credit and advance payments cannot be provided.

Name of Firm: \_\_\_\_\_

Mailing Address: \_\_\_\_\_

Fax: \_\_\_\_\_ Tel: \_\_\_\_\_



Email: \_\_\_\_\_

Person(s) to contact:

Signature: \_\_\_\_\_

Date: \_\_\_\_\_


Name & Title: \_\_\_\_\_ Company seal: \_\_\_\_\_

ITEM 1	Requested Technical specifications	Offered Technical Specifications (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u> offering them)
1	<b>FRESHWATER FISHING HOOK (TL 5.0cm / G 1.6cm)</b>	
A	<b>REQUESTED SHAPE AND SPECIFICATION</b>	
<p>Hook shape and specification as below</p>  <p>Wire thickness = 0.2 cm</p> <p>Photo of hook shape (not to scale)</p> 		
<b>UNACCEPTABLE SHAPE</b>		



**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

Short shank Aberdeen, Round hook, Beak hook, Sproat hook, Viking hook, Carlisle hook, O'Shaunessy hook, Kirby hook, Limerick hook, Round hook, Crystal hook



**B REQUESTED MATERIAL**

- High carbon steel

**Material Specification ( % weight basis)**

**Test Method: GB/T 20125-2006; ASTM E1019-18**

Iron, Fe (% minimum)	98.3	
Carbon, C ( % )	0.6 – 0.8 (tolerance +/- 0.03)	
Manganese, Mn (%)	0.6 – 0.85 (tolerance +/- 0.05)	
Nickel, Ni (% maximum)	0.06	
Copper, Cu (% maximum)	0.08	
Chromium, Cr (% maximum)	0.04	
Sulphur, S (% maximum)	0.015	
Phosphorus, P (% maximum)	0.018	






**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

<b>Quality specifications:</b>	
<ul style="list-style-type: none"> <li>Hook must carry a load up to <b>15 kg</b> without bending, distorting or breaking.</li> </ul>	
<b>UNACCEPTABLE MATERIAL</b>	
<ul style="list-style-type: none"> <li>Stainless steel</li> </ul>	
<b>C</b>	<b>REQUESTED HOOK COATING</b>
<ul style="list-style-type: none"> <li>Nickel</li> </ul>	
<b>Coating Material Specification ( % weight basis of the coating material)</b>	<b>Test Method: GB/T 20125-2006; ASTM E1019-18</b>
Nickel, Ni (% minimum)	90
<ul style="list-style-type: none"> <li><b>Quality specifications:</b> The hooks should not have coating defects</li> </ul>	
<b>UNACCEPTABLE HOOK COATING</b>	
<ul style="list-style-type: none"> <li>Uncoated</li> <li>Tin</li> <li>Galvanized</li> <li>Bronze</li> </ul>	
<b>D</b>	<b>Hook Specification Tolerances</b>
Total length = 5.0 cm ( Tolerance +/- 0.3cm)	
Shank Length = 4.0 cm (Tolerance +/- 0.3cm)	
Hook gape = 1.6 cm (Tolerance +/- 0.2 cm)	
Wire thickness = 0.2 cm (Tolerance +/- 0.05 cm)	
<b>Quality specifications:</b> The hooks dimensions mentioned above must not exceed the indicated tolerances	
<b>E</b>	<b>REQUESTED EYE TYPE</b>



Food and Agriculture Organization of the United Nations  
FAO Representation *South Sudan*









**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

<ul style="list-style-type: none"><li>• Ringed</li></ul>  <p>Ringed</p>	
<b>UNACCEPTABLE EYE TYPE</b>	
Looped, Looped tapered ring, Open ring, Swivel, Needle eye	
<b>F</b>	<b>REQUESTED HOOK POINT TYPE</b>
<ul style="list-style-type: none"><li>• Reversed hook</li><li>• Kirbed hook</li></ul>  <p>Reversed</p>  <p>Kirbed</p>	
<b>Quality specifications:</b> Hooks should not be blunt and should not contain barb defects	
<b>UNACCEPTABLE HOOK POINT TYPE</b>	





**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

<p><b>Knife edge, Needle, Barbless needle, Barbless, Micro barb, Short, Beak hook</b></p> <p><b>Points</b></p> <p> Knife edge</p> <p> Needle       Micro Barb</p> <p> Barbless Needle       Short</p> <p> Barbless       Beak</p>	
<p><b>G      PACKING OF FISHING HOOK</b></p>	
<ul style="list-style-type: none"> <li>• <b>PACKAGING OF TWISTED NYLON (POLYAMIDE)</b></li> <li>• <i>50 Spools of F/twins per carton (F/kits)</i></li> <li>• 1 packet = 100 hooks. Packet material must be paper, suitable size for the contents, and strong enough for shipping and storing the hooks.</li> <li><input type="checkbox"/> <i>200 Packets (Pkts) Pcs of F/hooks per carton (F/kits)</i></li> <li><input type="checkbox"/> <i>200 Coils of F/monofilament per carton (F/kits)</i></li> </ul>	
	



**Food and Agriculture Organization of the United Nations**  
**FAO Representation *South Sudan***

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

<ul style="list-style-type: none"><li>• Extra-small double-wall cardboard boxes</li><li>• 2 layers of tough puncture resistant board</li><li>• Carton Dimensions = Length * width * high = <math>0.50*0.40*0.43 = 0.086M3</math>. tolerance <math>-/+0.05</math></li><li>• Thickness of one Packing Carton is 1 cm, the tolerance <math>-0.3</math></li><li>• Sold in packs and Ideal for storing &amp; shipping small and medium items</li><li>• Cartoons are made from quality cardboard that is of suitable size for the contents and strong enough for shipping and storing the goods. Each Carton should be strong and can carry items up to 35Kg Max.</li></ul>	
---	--



**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

**FAO's Logo Sticker on one side panel of carton**

A4 size, colour (please refer to the attached image)

*In order to ensure that the FAO logo appears in a proper and distinct manner, a minimum distance between the logo and other elements must be maintained. For analog products the minimum distance between the logo and any other elements on all sides of the logo is determined at 40 percent of the diameter (see attached.) The height of the logo, which includes the clear space, must always be at least 18 mm. The logo for analog products should not be smaller than 10 mm.*

Clear space for analog products




H

**IMPORTANT - INSPECTION AND SAMPLING METHODOLOGY (TL 5.0cm / G 1.6cm)**



**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

<p>FAO, through its superintendence agency, will collect a sample of at least <b>50 units (based on 268,000 hooks)</b> taken from random selected boxes and will measure each hook against the following characteristics: material, hook shape, hook point, eye type, bending, distorting, breaking, coating defects and dimensions. If the hook shows deviation under a single characteristic or a combination of characteristics, the hook will be considered <b>non-compliant</b> with FAO's requirements.</p> <p>Quality deviations will be subject to either liquidated damages or to rejection of a shipment, depending on the results obtained in the inspection report. Please confirm acknowledgement of this condition in the right column.</p>		
<b>ITEM 2</b>	<b>Requested Technical Specifications</b>	<b>Offered Technical Specifications</b> (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u> offering them)
<b>2</b>	<b>FRESHWATER FISHING HOOK (TL 5.5cm / G 1.7cm)</b>	
<b>A</b>	<b>REQUESTED SHAPE AND SPECIFICATION</b>	
<p>Hook shape and specification as below</p>  <p><b>Wire thickness = 0.2 cm</b></p>		



**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**



Photo of hook shape (not to scale)

**UNACCEPTABLE SHAPE**

Short shank Aberdeen, Round hook, Beak hook, Sproat hook, Viking hook, Carlisle hook, O'Shaunessy hook, Kirby hook, Limerick hook, Round hook, Crystal hook



**B REQUESTED MATERIAL**

- High carbon steel

Material Specification ( % weight basis)

Test Method: GB/T 20125-2006; ASTM E1019-18

Iron, Fe (% minimum)

98.3



**Food and Agriculture Organization of the United Nations  
FAO Representation South Sudan**

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**









Carbon, C (%)	0.6 – 0.8 (tolerance +/- 0.03)	
Manganese, Mn (%)	0.6 – 0.85 (tolerance +/- 0.05)	
Nickel, Ni (% maximum)	0.06	
Copper, Cu (% maximum)	0.08	
Chromium, Cr (% maximum)	0.04	
Sulphur, S (% maximum)	0.015	

<b>Quality specifications:</b>		
<ul style="list-style-type: none"> <li>Hook must carry a load up to <b>15 kg</b> without bending, distorting or breaking</li> </ul>		
<b>UNACCEPTABLE MATERIAL</b>		
<ul style="list-style-type: none"> <li>Stainless steel</li> </ul>		
<b>C</b>	<b>REQUESTED HOOK COATING</b>	
<b>1. Nickel</b>		
Phosphorus, P (% maximum)	0.018	
<b>Coating Material Specification ( % weight basis of the coating material)</b>		<b>Test Method: GB/T 20125-2006; ASTM E1019-18</b>
Nickel, Ni (% minimum)		90
<b>2. Quality specifications:</b> The hooks should not have coating defects		
<b>UNACCEPTABLE HOOK COATING</b>		
<ul style="list-style-type: none"> <li>Uncoated</li> <li>Tin</li> <li>Galvanized</li> <li>Bronze</li> </ul>		
<b>D</b>	<b>Hook Specification Tolerances</b>	




**Food and Agriculture Organization of the United Nations**  
**FAO Representation South Sudan**

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

Total length = 5.5 cm (Tolerance +/- 0.3cm)	
Shank Length = 4.5 cm (Tolerance +/- 0.3cm)	
Hook gape = 1.7 cm (Tolerance +/- 0.2 cm)	
Wire thickness = 0.2 cm (Tolerance +/- 0.05 cm)	
<b>Quality specifications:</b> The hooks dimensions mentioned above must not exceed the indicated tolerances	
<b>E</b>	<b>REQUESTED EYE TYPE</b>
Ringed	
 <span style="font-size: 2em; margin-left: 10px;">Ringed</span>	
	<b>UNACCEPTABLE EYE TYPE</b>
Looped, Looped tapered ring, Open ring, Swivel, Needle eye	
 Looped  Looped Tapered Ring  Open Ring  Swivel  Needle Eye	
<b>F</b>	<b>REQUESTED HOOK POINT TYPE</b>
<ul style="list-style-type: none"> <li>• Reversed hook</li> <li>• Kirbed hook</li> </ul>	
 Reversed  Kirbed	
<b>Quality specifications:</b>	
<ul style="list-style-type: none"> <li>• Hooks should not be blunt and should not contain barb defects</li> </ul>	
	<b>UNACCEPTABLE HOOK POINT TYPE</b>



**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**


<p><b>Knife edge, Needle, Barbless needle, Barbless, Micro barb, Short, Beak hook</b></p> <p><b>Points</b></p> <p><input type="checkbox"/> Knife edge</p> <p><input type="checkbox"/> Needle      <input type="checkbox"/> Micro Barb</p> <p><input type="checkbox"/> Barbless Needle      <input type="checkbox"/> Short</p> <p><input type="checkbox"/> Barbless      <input type="checkbox"/> Beak</p>	
<p><b>G      PACKING OF FISHING HOOK (TL 5.5cm / G 1.7cm)</b></p>	
<ul style="list-style-type: none"> <li>• <b>PACKAGING OF TWISTED NYLON (POLYAMIDE)</b></li> <li>• <i>50 Spools of F/twins per carton (F/kits)</i></li> <li>• 1 packet = 100 hooks Packet material must be paper, suitable size for the contents, and strong enough for shipping and storing the hooks.</li> <li><input type="checkbox"/> <i>200 Packets (Pkts) Pcs of F/hooks per carton (F/kits)</i></li> <li><input type="checkbox"/> <i>200 Coils of F/monofilament per carton (F/kits)</i></li> </ul>	
	
<ul style="list-style-type: none"> <li>• Extra-small double-wall cardboard boxes</li> <li>• 2 layers of tough puncture resistant board</li> </ul>	





**Food and Agriculture Organization of the United Nations**  
**FAO Representation South Sudan**

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

<ul style="list-style-type: none"> <li>• Carton Dimensions = Length * width * high = 0.50*0.40*0.43 = 0.086M3. tolerance -/+0.05</li> <li>• Thickness of one Packing Carton is 1 cm, the tolerance -0.3</li> <li>• Sold in packs and Ideal for storing &amp; shipping small and medium items</li> </ul> <p>Cartoons are made from quality cardboard that is of suitable size for the contents and strong enough for shipping and storing the goods. Each Carton should be strong and can carry items up to 35Kg Max.</p>	
<p><b>FAO's Logo Sticker on one side panel of carton</b>  A4 size, colour (please refer to the attached image)</p> <p><i>In order to ensure that the FAO logo appears in a proper and distinct manner, a minimum distance between the logo and other elements must be maintained. For analog products the minimum distance between the logo and any other elements on all sides of the logo is determined at 40 percent of the diameter (see attached.) The height of the logo, which includes the clear space, must always be at least 18 mm. The logo for analog products should not be smaller than 10 mm.</i></p> <p>Clear space for analog products</p> 	



Food and Agriculture Organization of the United Nations  
FAO Representation *South Sudan*

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

<b>H</b>	<b>IMPORTANT - INSPECTION AND SAMPLING METHODOLOGY (TL 5.5cm / G 1.7cm)</b>
FAO, through its superintendence agency, will collect a sample of at least <b>50 units (based on 268,000 hooks)</b> taken from random selected boxes and will measure each hook against the following quality characteristics: material, hook shape, hook point, eye type, bending, distorting, breaking, coating defects and dimensions. If the hook shows deviation under a single characteristic or a combination of characteristics, the hook will be considered non-compliant with FAO's requirements. Quality deviations will be subject to either liquidated damages or to rejection of a shipment, depending on the results obtained in the inspection report. Please confirm acknowledgement of this condition in the right column.	

<b>ITEM 3</b>	<b>Requested Technical specifications</b>	<b>Offered Technical Specifications</b> (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u> offering them)
---------------	---	---



**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

**3 FRESHWATER FISHING HOOK (TL 6.8cm / G 2.1 cm)**

**A REQUESTED SHAPE AND SPECIFICATIONS**

Hook shape and specifications as below




Photo of hook shape (not to

scale)




Specifications	cm
Total length	6.8
Shank	4.1
Gape	2.1
Front length	2.6
Bite	2.3
Eye	1.1
Wire thickness	0.3

**UNACCEPTABLE SHAPE**



**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

ITEM 3	Requested Technical specifications	Offered Technical Specifications (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u> offering them)	
<b>3</b>	<b>FRESHWATER FISHING HOOK (TL 6.8cm / G 2.1 cm)</b>		
	<p>Short shank Aberdeen, Round hook, Beak hook, Sproat hook, Viking hook, Carlisle hook, O'Shaunessy hook, Kirby hook, Limerick hook, Round hook, Crystal hook</p> 		
<b>B</b>	<b>REQUESTED MATERIAL</b>		
	<ul style="list-style-type: none"> <li>High carbon steel</li> </ul>		
<b>Material Specification ( % weight basis)</b>	<b>Test Method: GB/T 20125-2006; ASTM E1019-18</b>		
Iron, Fe (% minimum)	98.3		
Carbon, C ( % )	0.6 – 0.8 (tolerance +/- 0.03)		
Manganese, Mn (%)	0.6 – 0.85 (tolerance +/- 0.05)		
Nickel, Ni (% maximum)	0.06		
Copper, Cu (% maximum)	0.08		
Chromium, Cr (% maximum)	0.04		
Sulphur, S (% maximum)	0.015		
Phosphorus, P (% maximum)	0.018		






**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

ITEM 3	Requested Technical specifications	Offered Technical Specifications (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u> offering them)
<b>3</b>	<b>FRESHWATER FISHING HOOK (TL 6.8cm / G 2.1 cm)</b>	
	<b>Quality specifications:</b> <ul style="list-style-type: none"> <li>• Hook must carry a load up to <b>18 kg</b> without bending, distorting or breaking.</li> </ul>	
	<b>UNACCEPTABLE MATERIAL</b>	
	<ul style="list-style-type: none"> <li>• Stainless steel</li> </ul>	
<b>C</b>	<b>REQUESTED HOOK COATING</b>	
	<ul style="list-style-type: none"> <li>• Nickel</li> </ul>	
	<b>Coating Material Specification ( % weight basis of the coating material)</b>	<b>Test Method: GB/T 20125-2006; ASTM E1019-18</b>
	Nickel, Ni (% minimum)	90
	<ul style="list-style-type: none"> <li>• <b>Quality specifications:</b> The hooks should not have coating defects</li> </ul>	
	<b>UNACCEPTABLE HOOK COATING</b>	
	<ul style="list-style-type: none"> <li>• Uncoated</li> <li>• Tin</li> <li>• Galvanized</li> <li>• Bronze</li> </ul>	
<b>D</b>	<b>Hook Specification Tolerances</b>	
	Total length = 6.8 cm ( Tolerance +/- 0.3cm)	
	Shank Length = 4.1 cm (Tolerance +/- 0.3cm)	
	Hook gape = 2.1 cm (Tolerance +/- 0.2 cm)	
	Front length = 2.6 cm (Tolerance +/- 0.2 cm)	
	Bite = 2.3 cm (Tolerance +/- 0.2 cm)	
	Eye = 1.1 cm (Tolerance +/- 0.1 cm)	
	Wire thickness = 0.3 cm (Tolerance +/- 0.05 cm)	
	<b>Quality specifications:</b> The hooks dimensions mentioned above must not exceed	




**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

ITEM 3	Requested Technical specifications	Offered Technical Specifications (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u> offering them)
3	<b>FRESHWATER FISHING HOOK (TL 6.8cm / G 2.1 cm)</b>	
the indicated tolerances		
<b>E</b>	<b>REQUESTED EYE TYPE</b>	
<ul style="list-style-type: none"> <li>• Ringed</li> </ul> 		
<b>UNACCEPTABLE EYE TYPE</b>		
Looped, Looped tapered ring, Open ring, Swivel, Needle eye  		
<b>F</b>	<b>REQUESTED HOOK POINT TYPE</b>	
<ul style="list-style-type: none"> <li>• Reversed hook</li> <li>• Kirbed hook</li> </ul> 		
<b>Quality specifications:</b> Hooks should not be blunt and should not contain barb defects		
<b>UNACCEPTABLE HOOK POINT TYPE</b>		
<b>Knife edge, Needle, Barbless needle, Barbless, Micro barb, Short, Beak hook</b>		




**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

ITEM 3	Requested Technical specifications	Offered Technical Specifications (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u> offering them)
3	<b>FRESHWATER FISHING HOOK (TL 6.8cm / G 2.1 cm)</b>	
	<p><b>Points</b></p> <p><input type="checkbox"/> Knife edge</p> <p><input type="checkbox"/> Needle      <input type="checkbox"/> Micro Barb</p> <p><input type="checkbox"/> Barbless Needle      <input type="checkbox"/> Short</p> <p><input type="checkbox"/> Barbless      <input type="checkbox"/> Beak</p>	
<b>G</b>	<b>PACKING OF FISHING HOOK</b>	
	<ul style="list-style-type: none"> <li>• <b>PACKAGING OF TWISTED NYLON (POLYAMIDE)</b></li> <li>• <i>50 Spools of F/twins per carton (F/kits)</i></li> <li>• 1 packet = 100 hooks Packet material must be paper, suitable size for the contents, and strong enough for shipping and storing the hooks.</li> <li><input type="checkbox"/> <i>200 Packets (Pkts) Pcs of F/hooks per carton (F/kits)</i></li> <li><input type="checkbox"/> <i>200 Coils of F/monofilament per carton (F/kits)</i></li> </ul>	
		




**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

ITEM 3	Requested Technical specifications	Offered Technical Specifications (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u> offering them)
3	<b>FRESHWATER FISHING HOOK (TL 6.8cm / G 2.1 cm)</b>	
	<ul style="list-style-type: none"> <li>• Extra-small double-wall cardboard boxes</li> <li>• 2 layers of tough puncture resistant board</li> <li>• Carton Dimensions = Length * width * high = 0.50*0.40*0.43 = 0.086M3. tolerance -/+0.05</li> <li>• Thickness of one Packing Carton is 1 cm, the tolerance -0.3</li> <li>• Sold in packs and Ideal for storing &amp; shipping small and medium items</li> </ul> <p>Cartoons are made from quality cardboard that is of suitable size for the contents and strong enough for shipping and storing the goods. Each Carton should be strong and can carry items up to 35Kg Max.</p>	
	<p><b>FAO's Logo Sticker on one side panel of carton</b></p> <p>A4 size, colour (please refer to the attached image)  <i>In order to ensure that the FAO logo appears in a proper and distinct manner, a minimum distance between the logo and other elements must be maintained. For analog products the minimum distance between the logo and any other elements on all sides of the logo is determined at 40 percent of the diameter (see attached.) The height of the logo, which includes the clear space, must always be at least 18 mm. The logo for analog products should not be smaller than 10 mm.</i></p> <p>Clear space for analog products</p> 	






**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

ITEM 3	Requested Technical specifications	Offered Technical Specifications (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u> offering them)
3	<b>FRESHWATER FISHING HOOK (TL 6.8cm / G 2.1 cm)</b>	
		
H	<b>IMPORTANT - INSPECTION AND SAMPLING METHODOLOGY (TL 6.8cm / G 2.1 cm)</b>	
	<p>FAO, through its superintendence agency, will collect a sample of at least <b>125 units (based on &gt;500,000 hooks)</b> taken from random selected boxes and will measure each hook against the following characteristics: material, hook shape, hook point, eye type, bending, distorting, breaking, coating defects and dimensions. If the hook shows deviation under a single characteristic or a combination of characteristics, the hook will be considered <b>non-compliant</b> with FAO's requirements</p> <p>Quality deviations will be subject to either liquidated damages or to rejection of a shipment, depending on the results obtained in the inspection report. Please confirm acknowledgement of this condition in the right column.</p>	

ITEM 4	Requested Technical Specifications	Offered Technical Specifications (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u> offering them)




**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

<b>4</b>	<b>NYLON MONO-FILAMENT FISHING LINE</b>
<b>A</b>	<b>REQUESTED MATERIAL</b>
100% Nylon (polyamide)	
<b>Quality specifications:</b>  The monofilament must not stretch more than 30% or break under a load of 9 Kg.	
<b>Diameter :</b> 0.45mm (Tolerance +/-5%)	
<b>Length:</b> 100 metres (Tolerance -1 % i.e the length should be greater than 99 meters)1	
<b>Colour:</b> White or light blue	
<b>Packaging:</b> Coil (or skein ) as below	
	
<b>B</b>	<b>PACKING OF NYLON MONO-FILAMENT FISHING LINE</b>
<ul style="list-style-type: none"><li>• <b>PACKAGING OF TWISTED NYLON (POLYAMIDE)</b></li><li>• 50 Spools of F/twins per carton (F/kits)</li><li>• 1 packet = 100 hooks Packet material must be paper, suitable size for the</li></ul>	



**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

ITEM 4	Requested Technical Specifications	Offered Technical Specifications (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u> offering them)
4	<b>NYLON MONO-FILAMENT FISHING LINE</b>	
	<p>contents, and strong enough for shipping and storing the hooks.</p> <p><input type="checkbox"/> 200 Packets (Pkts) Pcs of F/hooks per carton (F/kits)</p> <p><input type="checkbox"/> 200 Coils of F/monofilament per carton (F/kits)</p>	
		
	<ul style="list-style-type: none"> <li>• Extra-small double-wall cardboard boxes</li> <li>• 2 layers of tough puncture resistant board</li> <li>• Carton Dimensions = Length * width * high = 0.50*0.40*0.43 = 0.086M3. tolerance -/+0.05</li> <li>• Thickness of one Packing Carton is 1 cm, the tolerance -0.3</li> <li>• Sold in packs and Ideal for storing &amp; shipping small and medium items</li> </ul> <p>Cartoons are made from quality cardboard that is of suitable size for the contents and strong enough for shipping and storing the goods. Each Carton should be strong and can carry items up to 35Kg Max.</p>	
	<p><b>FAO's Logo Sticker on one side panel of carton</b></p>	



ITEM 4	Requested Technical Specifications	Offered Technical Specifications (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u> offering them)
4	<b>NYLON MONO-FILAMENT FISHING LINE</b>	
	<p>A4 size, colour (please refer to the attached image)</p> <p><i>In order to ensure that the FAO logo appears in a proper and distinct manner, a minimum distance between the logo and other elements must be maintained. For analog products the minimum distance between the logo and any other elements on all sides of the logo is determined at 40 percent of the diameter (see attached.) The height of the logo, which includes the clear space, must always be at least 18 mm. The logo for analog products should not be smaller than 10 mm.</i></p> <p>Clear space for analog products</p>  	
	<b>IMPORTANT - INSPECTION AND SAMPLING METHODOLOGY (MONOFILAMENT)</b>	
	<p>FAO, through its superintendence agency, will collect a sample of at least <b>125 units (based on &gt;500,000 units)</b> taken from random selected boxes and will measure each against the following quality characteristics: material, stretching or breaking, length. If the monofilament line skein does not meet the length requirement, or the</p>	



Food and Agriculture Organization of the United Nations  
FAO Representation *South Sudan*

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

<b>ITEM</b> <b>4</b>	<b>Requested Technical Specifications</b>	<b>Offered Technical Specifications</b> (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u> offering them)
<b>4</b>	<b>NYLON MONO-FILAMENT FISHING LINE</b>	
	monofilament line stretches more than 30% with a load of 9 Kg or breaks under this load, the unit will be considered non-compliant with FAO's requirements. Quality deviations will be subject to either liquidated damages or to rejection of a shipment, depending on the results obtained in the inspection report. Please confirm acknowledgement of this condition in the right column.	




**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

ITEM 5	Requested Technical Specifications	Offered Technical Specifications (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u> offering them)
5	<b>TWISTED NYLON (POLYAMIDE) FISHING TWINE</b>	
	<b>Type 1: Twisted nylon (polyamide) fishing twine 210 D/ 12 ply</b>	
A	<b>REQUESTED MATERIAL</b>	
	100% nylon (polyamide, PA)	
	<b>Size :</b> 210 D/ 12 ply	
	<b>Breaking strength/tensile strength:</b> Fishing twine will hold 15 kg load without breaking Elongation at load of 15kg not more than 30%	
	<b>UNNACCEPTABLE BREAKING STRENGTH AND ELONGATION</b>	
	<b>Quality specifications:</b> The twisted nylon (polyamide) fishing twine must not stretch more than 30% or break under a load of 15 Kg.	
	<b>Approximate length (m) per kg</b> 3,200 metres/kg (Tolerance +/- 5%)	
	<b>Weight per unit :</b> 500 grams (Tolerance - 1% i.e. the weight per unit should be greater than 495 grams)	
	<b>Length per unit:</b> 1,600 metres(Tolerance +/- 5%)	
	<b>Colour :</b> White	




**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

ITEM 5	Requested Technical Specifications	Offered Technical Specifications (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u> offering them)
5	<b>TWISTED NYLON (POLYAMIDE) FISHING TWINE</b>	
	<b>Type 1: Twisted nylon (polyamide) fishing twine 210 D/ 12 ply</b>	
	<p><b>Twine Wrapping:</b></p> <ul style="list-style-type: none"> <li>• Roll wound on spool or cone as in picture below</li> <li>• Packed in shrink wrapped clear plastic film</li> </ul> 	
<b>B</b>	<b>PACKAGING OF TWISTED NYLON (POLYAMIDE) FISHING TWINE 210 D/ 12 ply</b>	
	<ul style="list-style-type: none"> <li>• <b>PACKAGING OF TWISTED NYLON (POLYAMIDE)</b></li> <li>• 50 Spools of F/twins per carton (F/kits)</li> <li>• 1 packet = 100 hooks Packet material must be paper, suitable size for the contents, and strong enough for shipping and storing the hooks.</li> </ul>	





**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

ITEM 5	Requested Technical Specifications	Offered Technical Specifications (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u> offering them)
5	<b>TWISTED NYLON (POLYAMIDE) FISHING TWINE</b>	
	<b>Type 1: Twisted nylon (polyamide) fishing twine 210 D/ 12 ply</b>	
	<input type="checkbox"/> 200 <i>Packets (Pkts) Pcs of F/hooks per carton (F/kits)</i> <input type="checkbox"/> 200 <i>Coils of F/monofilament per carton (F/kits)</i>	
		
	<ul style="list-style-type: none"> <li>• Extra-small double-wall cardboard boxes</li> <li>• 2 layers of tough puncture resistant board</li> <li>• Carton Dimensions = Length * width * high = 0.50*0.40*0.43 = 0.086M3. tolerance -/+0.05</li> <li>• Thickness of one Packing Carton is 1 cm, the tolerance -0.3</li> <li>• Sold in packs and Ideal for storing &amp; shipping small and medium items.</li> <li>• Cartoons are made from quality cardboard that is of suitable size for the contents and strong enough for shipping and storing the goods. Each Carton should be strong and can carry items up to 35Kg Max.</li> </ul>	





**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

ITEM 5	Requested Technical Specifications	Offered Technical Specifications (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u> offering them)
5	<b>TWISTED NYLON (POLYAMIDE) FISHING TWINE</b>	
	<b>Type 1: Twisted nylon (polyamide) fishing twine 210 D/ 12 ply</b>	
	<p><b>FAO's Logo Sticker on one side panel of carton</b>            A4 size, colour (please refer to the attached image)</p> <p><i>In order to ensure that the FAO logo appears in a proper and distinct manner, a minimum distance between the logo and other elements must be maintained. For analog products the minimum distance between the logo and any other elements on all sides of the logo is determined at 40 percent of the diameter (see attached.) The height of the logo, which includes the clear space, must always be at least 18 mm. The logo for analog products should not be smaller than 10 mm.</i></p> <p><small>Clear space for analog products</small></p>  	
	<b>IMPORTANT - INSPECTION AND SAMPLING METHODOLOGY (TWINE 210 D/ 12 ply )</b>	
	FAO, through its superintendence agency, will collect a sample of at least <b>125 units</b>	



Food and Agriculture Organization of the United Nations  
FAO Representation *South Sudan*

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

<b>ITEM 5</b>	<b>Requested Technical Specifications</b>	<b>Offered Technical Specifications</b> (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u> offering them)
<b>5</b>	<b>TWISTED NYLON (POLYAMIDE) FISHING TWINE</b>	
	<b>Type 1: Twisted nylon (polyamide) fishing twine 210 D/ 12 ply</b>	
	<p><b>(based on &gt;500,000 units)</b> taken from random selected boxes and will measure each against the following quality characteristics: material, stretching or breaking, length. If the twisted nylon fishing twine spool does not meet the length requirement, or the twisted polyamide fishing twine stretches more than 30% with a load of 15 Kg or breaks under this load, the unit will be considered non-compliant with FAO's requirements. Quality deviations will be subject to either liquidated damages or to rejection of a shipment, depending on the results obtained in the inspection report. Please confirm acknowledgement of this condition in the right column.</p>	

<b>ITEM 6</b>	<b>Requested Technical Specifications</b>	<b>Offered Technical Specifications</b> (Where <u>unacceptable</u> items are listed, please confirm that you are <u>not</u>
-------------------	---	--



**Food and Agriculture Organization of the United Nations  
FAO Representation *South Sudan***

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

		offering them)
<b>6</b>	<b>TWISTED NYLON (POLYAMIDE) FISHING TWINE</b>	
	Twisted nylon (polyamide) fishing twine 210 D/ 15 ply	
<b>A</b>	<b>REQUESTED MATERIAL</b>	
	100% nylon (polyamide, PA)	
	<b>Size:</b> 210D/15 ply	
	<b>Breaking strength/tensile strength:</b> Fishing twine will hold 19 kg load without breaking Elongation at load of 19kg not more than 30%	
	<b>UNACCEPTABLE BREAKING STRENGTH AND ELONGATION</b>	
	<b>Quality specifications:</b>  The twisted nylon (polyamide) fishing twine must not stretch more than 30% or break under a load of 19 Kg.	
	<b>Approximate length (m) per kg:</b> 2,600 metres/kg (Tolerance +/- 5%)	
	<b>Weight per unit :</b> 500 grams (Tolerance - 1% i.e. the weight per unit should be greater than 495 grams)	
	<b>Length of line per unit:</b> 1,300 metres (Tolerance +/- 5%)	
	<b>Colour:</b> White	



**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

**Twine Wrapping:**

- Roll wound on spool or cone as in picture below
- Packed in shrink wrapped clear plastic film




**B**      **PACKAGING OF TWISTED NYLON (POLYAMIDE) FISHING TWINE 210 D/ 15 ply**

- **PACKAGING OF TWISTED NYLON (POLYAMIDE)**
- *50 Spools of F/twins per carton (F/kits)*
- 1 packet = 100 hooks Packet material must be paper, suitable size for the contents, and strong enough for shipping and storing the hooks.
- 200 Packets (Pkts) Pcs of F/hooks per carton (F/kits)*
- 200 Coils of F/monofilament per carton (F/kits)*



Food and Agriculture Organization of the United Nations  
FAO Representation *South Sudan*



**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

	
<ul style="list-style-type: none"><li>• Extra-small double-wall cardboard boxes</li><li>• 2 layers of tough puncture resistant board</li><li>• Carton Dimensions = Length * width * high = 0.50*0.40*0.43 = 0.086M3. tolerance -/+0.05</li><li>• Thickness of one Packing Carton is 1 cm, the tolerance -0.3</li><li>• Sold in packs and Ideal for storing &amp; shipping small and medium items.</li><li>• Cartoons are made from quality cardboard that is of suitable size for the contents and strong enough for shipping and storing the goods. Each Carton should be strong and can carry items up to 35Kg Max.</li></ul>	
<p><b>FAO's Logo Sticker on one side panel of carton</b> A4 size, colour (please refer to the attached image)</p> <p><i>In order to ensure that the FAO logo appears in a proper and distinct manner, a minimum distance between the logo and other elements must be maintained. For analog products the minimum distance between the logo and any other elements on all sides of the logo is determined at 40 percent of the diameter (see attached.) The height of the logo, which includes the clear space, must always be at least 18 mm. The logo for analog products should not be smaller than 10 mm.</i></p>	



**Food and Agriculture Organization of the United Nations**  
**FAO Representation *South Sudan***

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

<p>Clear space for analog products</p>  <p>Food and Agriculture Organization of the United Nations</p>  <p><b>THE WORLD BANK</b> IBRD • IDA   WORLD BANK GROUP</p>	
<p><b>IMPORTANT - INSPECTION AND SAMPLING METHODOLOGY (TWINE 210 D/ 15 ply )</b></p>	
<p>FAO, through its superintendence agency, will collect a sample of at least <b>125 units (based on &gt;500,000 units)</b> taken from random selected boxes and will measure each against the following quality characteristics: material, stretching or breaking, length. If the twisted nylon fishing twine spool does not meet the length requirement, or the twisted polyamide fishing twine stretches more than 30% with a load of 19 Kg or breaks under this load, , the unit will be considered non-compliant with FAO’s requirements. Quality deviations will be subject to either liquidated damages or to rejection of a shipment, depending on the results obtained in the inspection report. Please confirm acknowledgement of this condition in the right column.</p>	



Food and Agriculture Organization of the United Nations  
FAO Representation *South Sudan*

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

**!!!FAILURE TO COMPLY WITH REQUIREMENTS STATED BELOW MAY RESULT IN YOUR BID BEING REJECTED!!!**

1. You **must duly complete all the empty spaces** in the technical specification format to detail the specifications being offered.
2. Your bid must **include supporting documentation** requested in this form.

Company Name: \_\_\_\_\_

Date: \_\_\_\_\_

Official stamp and signature: \_\_\_\_\_



**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

**Appendix III.a: FINANCIAL OFFER - QUANTITY OF GOODS DELIVERED WITHIN THE REQUESTED DELIVERY TIME**

*(all columns to be filled in and submitted as an essential element of your bid)*

#	Item description	Unit of Measure	Qty requested	Qty Offered	Unit Price FCA (in US\$*)	Total Cost FCA (in US\$*)	Freight Cost / Unit (in US\$*)	Freight Total Cost (in US\$*)	Insurance Cost (in US\$*)	Total Cost (DPU) (in US\$*)	Best Delivery Time (specify no. of calendar days after PO issuance)	Delivery Mode
				(1)	(2)	(3) = (1) x (2)	(4)	(5) = (1) x (4)	(6)	(7) = (3) + (5) +6		
1	Fresh water hook (TL 5.0 cm /G 1.6 cm)	Box of 100	113,000									
2	Fresh water hook (TL 5.5 cm/G 1.7 cm)	Box of 100	213,000									
3	Fresh water hook (TL 6.8/G 2.1)	Box of 100	213,000									
4	Monofilament	Each	213,000									
5	Twines Ply 12	Each	213,000									
6	Twines Ply 15	Each	213,000									
<b>TOTAL</b>												

\* If the quote is in a different currency than specified here, FAO will convert prices for the commercial evaluation to a single currency using the official UN exchange rate corresponding to the date of the offer.

NOTE regarding arithmetical errors and discrepancies:

- If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price will prevail and the total price will be corrected, unless in the opinion of evaluators, there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted will govern and the unit price will be corrected.
- If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals will prevail and the total will be corrected.
- In case of discrepancy between a word and figures, the amount in words will prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures will prevail subject to the note above.





**Food and Agriculture Organization of the United Nations**  
**FAO Representation *South Sudan***

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

**Company Name:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Official stamp and signature:** \_\_\_\_\_



**Food and Agriculture Organization of the United Nations  
FAO Representation South Sudan**

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

**Appendix III.b: FINANCIAL OFFER - QUANTITY OF GOODS DELIVERED WITHIN THE ALTERNATIVE TIME**

*(all columns to be filled in and submitted as an essential element of your bid)*

#	Item description	Unit of Measure	Qty requested	Qty Offered	Unit Price FCA (in US\$*)	Total Cost FCA (in US\$*)	Freight Cost / Unit (in US\$*)	Freight Total Cost (in US\$*)	Insurance Cost (in US\$*)	Total Cost (DPU) (in US\$*)	Best Delivery Time (specify no. of calendar days after PO issuance)	Delivery Mode
				(1)	(2)	(3) = (1) x (2)	(4)	(5) = (1) x (4)	(6)	(7) = (3) + (5) +6		
1	Fresh water hook (TL 5.0 cm /G 1.6 cm)	Box of 100	113,000									
2	Fresh water hook (TL 5.5 cm/G 1.7 cm)	Box of 100	213,000									
3	Fresh water hook (TL 6.8/G 2.1)	Box of 100	213,000									
4	Monofilament	Each	213,000									
5	Twines Ply 12	Each	213,000									
6	Twines Ply 15	Each	213,000									
<b>TOTAL</b>												

\* If the quote is in a different currency than specified here, FAO will convert prices for the commercial evaluation to a single currency using the official UN exchange rate corresponding to the date of the offer.

NOTE regarding arithmetical errors and discrepancies:

- If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price will prevail and the total price will be corrected, unless in the opinion of evaluators, there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted will govern and the unit price will be corrected.
- If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals will prevail and the total will be corrected.
- In case of discrepancy between a word and figures, the amount in words will prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures will prevail subject to the note above.



**Food and Agriculture Organization of the United Nations**  
**FAO Representation *South Sudan***

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

**Company Name:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Official stamp and signature:** \_\_\_\_\_



**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

**Appendix IV: Bid Submission Letter**

*(to be filled in and submitted as an essential element of your bid)*

**COMPLIANCE WITH THE PRESENT TENDER REQUIREMENTS**

**1 - Does your bid comply with the COMMERCIAL requirements of this tender in all respects?**

YES  NO

**2 - Do your specifications comply with the TECHNICAL requirements of this tender in all respects?**

YES  NO

If not, indicate the exceptions here below attaching additional pages as necessary:

.....  
.....  
.....  
.....

In submitting your bid, you confirm that you have read and understood the FAO General Terms and Conditions for Goods and that you agree to abide by all of the terms contained therein. You also agree to abide by the UN Supplier Code of Conduct. In addition, you confirm that you have considered all aspects relevant to the eventual performance under the Purchase Order related to this specific bid, if awarded, and that you have obtained all necessary information and data as to risks, contingencies and other circumstances which may influence or affect your bid.

Please indicate whether your company, including any affiliates, agents or subcontractors, is subject to any sanction or temporary suspension imposed by any Intergovernmental or UN Organization, including any organization within the World Bank Group or any other multi-lateral development bank, or by the institutions and bodies of economic integration organizations (e.g., the European Union):



Food and Agriculture Organization of the United Nations  
FAO Representation *South Sudan*

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

YES\*  NO

\*If yes, please indicate by which organization: \_\_\_\_\_

If your company, including any affiliates, agents or subcontractors, has been subject to any temporary suspension or sanction by any such organization or National Authority within the preceding three years, please provide further information below (attaching additional pages if necessary):

.....-  
.....-  
.....-  
.....-

**COMPLETENESS OF BID**

**IMPORTANT WARNING: Any aspects of your Offer that differ from the requirements established in this solicitation document must be clearly stated in your Offer. Unless otherwise agreed in writing by FAO, the requirements above are mandatory and will be the basis for evaluating your Offer regardless of any statement to the contrary contained in the technical specifications or literature you may submit together with your offer.**

I confirm that I have read and accept the provisions on Right to Publish Contract Award, Conflict of Interest and Sanctionable Actions.

I certify that my firm has not and will not engage in corrupt, fraudulent, collusive, coercive, unethical or obstructive practices during the selection process and throughout the negotiation and execution of any award.

I certify that my company is not associated with any individual or entity appearing on the 1267/1989 list of the UN Security Council or with any individual or entity subject to any other sanctions or enforcement measures promulgated by the UN Security Council.

I acknowledge that FAO reserves the right to only consider offers containing all the information and documents requested. I confirm that the Offer submitted meets the stated requirements unless otherwise stated herein. I further confirm that I understand that deviations may prevent the evaluation of my bid. I confirm that all the information provided in the Offer is accurate and complete.



**Food and Agriculture Organization of the United Nations**  
**FAO Representation *South Sudan***

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

**General information on the company:**

Company name: \_\_\_\_\_

UNGM number: \_\_\_\_\_ Country of origin: \_\_\_\_\_  
(residence) \_\_\_\_\_

VAT or Tax number \_\_\_\_\_

Commercial or Chamber of Commerce registration number: \_\_\_\_\_

Mailing address: \_\_\_\_\_

Contact person: \_\_\_\_\_

Email/s: \_\_\_\_\_

Telephone numbers: \_\_\_\_\_



Food and Agriculture Organization of the United Nations  
FAO Representation *South Sudan*

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

**Banking Instructions**

**Bank Name:** \_\_\_\_\_

**Bank Country:** \_\_\_\_\_

**IBAN:** \_\_\_\_\_

**Account Number:** \_\_\_\_\_

**Bank Account Holder Name:** \_\_\_\_\_

**Branch Name:** \_\_\_\_\_

**Branch Address:** \_\_\_\_\_

**SWIFT/BIC Code:** \_\_\_\_\_

Signature and stamp: \_\_\_\_\_

Date: \_\_\_\_\_



**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

**APPENDIX V - PRODUCTION AND LOGISTIC CAPACITIES FORM FOR FISHING SUPPLIES**

**IMPORTANT WARNING:** If your offer somehow differs from any of the requirements contained herein, this must be clearly stated in your bid. Unless otherwise agreed in writing by FAO, the requirements below are mandatory and will be the basis for evaluating your offer regardless of any statement to the contrary contained in your technical specifications / literature you may submit together with your offer.

---

**Fishing Item type [indicate here the type of fishing supply being offered]<sup>2</sup>:** .....

1) Stock availability and warehouse details:

- Does your company have in stock the required fishing kits complying with the present requirements in all respects? YES  NO
- Is your company ordering the required fishing kits from a manufacturer? YES  NO   
if yes, please indicate FULL name, address, country and contact details of your manufacturer:  
\_\_\_\_\_
- Confirm acceptance of a pre-award inspection at storage site YES  NO
- Advise number of days necessary to begin dispatch / shipment from the manufacturers' premises after receipt of an eventual order: \_\_\_\_\_

Indicate below your warehouse(s) **full address and contact** details:

Address:	Contact details:	Stock available (specify in Units):
.....	.....	.....
.....	.....	.....

N.B. In the event of more warehouses, please provide exact address of all facilities where goods are located and quantity available in each warehouse.

---

<sup>2</sup> Duplicate this template for all different type of items required and for which you have stock available





**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

2) Logistic plan to ensure timely delivery

Indicate below the total number of shipments required/planned to deliver the offered quantity of FAO required items as well as the quantity delivered per shipment, if awarded the contract.

- Total number of shipments for delivering the products offered at the named place of delivery: .....
- Quantity delivered per shipment: .....
- Total required quantity will be delivered in .....weeks ; i.e. Please include a detailed delivery plan indicating planned date of delivery for each dispatch:

Dispatch no. <sup>3</sup>	Loading point	Qty dispatched (in units)	Date of loading	Date of final delivery to final destination

In responding to our tender invitation and accepting FAO Terms and Conditions you hereby specifically authorize FAO and FAO nominated inspection company, to visit without formalities your premises and/ or warehouses and /or manufacturing facilities before issuing the eventual order.

**N.b.: Lack of compliance with this requirement may result in offer being disqualified**

---

<sup>3</sup> If more lines are required please present the table in a separate form.



Food and Agriculture Organization of the United Nations  
FAO Representation *South Sudan*

**INVITATION TO BID / TENDER No: 2021/FRSSD/FRSSD/113729**

**Appendix VI:**  
**GENERAL TERMS AND CONDITIONS FOR GOODS**